

STRUCTURAL NOTES - UNLESS OTHERWISE SPECIFIED:

1. ALL WIDE FLANGE SECTIONS ARE TO BE ASTM A992 STEEL.
2. ALL ANGLES, CHANNELS, AND PLATE SECTIONS ARE TO BE ASTM A36 STEEL. ALL STRUCTURAL TUBE SHAPES ARE TO BE ASTM A500 STEEL.
3. ALL WELDS ARE MADE WITH E70XX ELECTRODES.
4. ALL WELDS NOT SHOWN ARE 1/4" FILLET WELDS ALL AROUND.
5. ALL BOLTS ARE A325
6. FABRICATOR TO SUPPLY ALL MATERIALS INCLUDING NUTS, BOLTS AND WASHERS.
7. PRIME AND PAINT CARBON STEEL VIONX SIGNAL WHITE, RAL 9003, OR GALVANIZE AFTER FABRICATION.
8. EQUIPMENT AND PIPE SUPPORT CONCRETE ANCHORS ARE HILTI DROP IN TYPE, OR EQUAL WITH GALVANIZED NUTS AND WASHERS VOID ALL PRINTS BEARING PREVIOUS REVISION DATES.

NOTE
WORK THIS DRAWING WITH:
PA001, PD002, PD003, PD004, PB001,
PB002, PB003, PB004, PB005, PB006




OPTIMIZATION SOLUTIONS AND SERVICES
For Industrial and Manufacturing Applications
50 High Town Dr. Plain, NY 14534-5863 • 516-321-2500 www.optimization.us

ISSUED FOR
FABRICATION

DATE: 15JAN2018

PLAN VIEW EQUIPMENT AND PIPE SUPPORTS

SCALE: $3/4"=1'-0"$

REF. DWG.		DATE		BY	APPRVD.	DESCRIPTION		UNLESS OTHERWISE NOTED: 1) ALL DIMENSIONS ARE IN INCHES 2) BREAK ALL SHARP EDGES 3) TOLERANCES (NON ACCUMULATIVE): FOR MACHINED SURFACES: DECIMAL 1 P.C. ±.01" DECIMAL 2 P.C. ±.01" DECIMAL 3 P.C. ±.005" FRACTIONAL 1/4" ±.5" ANGLES ±1°		 		CUST. APPROVD.		DATE		DRAWN JHH/JOTI DATE 21NOV2017		 0 1/2 1" AT TRUE SCALE		OTI PROJECT NO. M17-1059		DWG. SIZE D	
		15JAN2018		JHH/JOTI		RELEASED FOR FABRICATION																ISSUE A	